INDEX

Prepared by Doctor J. BEN HILL of the Botany Department, The PENNSYLVANIA STATE COLLEGE, State College, Pennsylvania, and Mrs. HELEN DEUSS HILL. Page numbers in black-faced type refer to headings of articles or of sections. Numbers in italics indicate references included in lists of "Literature cited."

Aberrant form in agricultural varieties 433
Abraxas type 566
Aedes
  (*culex*) *abserratus* 194
  (*culicada*) *pullatus* 194
AIDA, TATUC 555
ALDER, B. 276, *309*
ALLARD, H. A. 433, 437, *444*
Allelomorphic genes
  Agouti
    Light-bellied 202
    Ticked-bellied 202
  Black 202
  Color genes in fish 565
  In Drosophila species 180, 199
Allelomorphism of mutant genes in Drosophila 46–49, 61, 62
Allelomorphs, multiple in Bruchus 65, 66, 69, 71, 88, 90
ALTENBURG, EDGAR 215, *239*, 418, 419, *428*
American Philosophical Society 354, 355
Anacamptomyia (*Roubaudia*) *rufescens* 193
Anas, see duck
ANDERSON, E. G. 210, 211, 217, 219, 221–224, 227
Andrena 193
Anthomyiinae 192–194
Antirrhinum majus 205
Antirrhinum molle 205
Aplocheilus Latipes, see fish
Apotettix 418
Armadillo 451
Assortative mating 144, 145, 147, 150, 153, 154, 157, 174, 176, 178, 450
Asymmetrical character specificity in transmission 482
Asymmetry
  Heritable 446, 447, 448, 451, 456, 458, 463
  In Peromyscus 466–483
Autosomal genes 179–206
  Conditioning intersexes 179, 188–192
Autosomal mutations in *Drosophila simulans* 179
Autosomes in Drosophila 43
AVERY, B. T. JR. 242, 255, 263, *264*

BABCOCK, E. B. 355, 357, 358, *365*, 463, *484*
Backcross tests in Bruchus 79
Backcrosses pheasant species hybrids 372
BAILEY, P. G. 463, *484*
BARDELEBEN, K. VON 450, *484*
BARTLETT, H. H. 2, 4–7, 12, 15, 16, 34
BATESON, W. 418, 419, *428*, 513, *524*
BAUR, E. 205, 206
Beans adzuki 68
BECKER, T. 192, *206*
BEDFORD, G. H. H. 194, *206*
BEINHART, E. G. 433, 434, *444*
BELL, J. 471, *484*
BELLING, JOHN 242, 262, *264*
Beris nitens 194
Bilateral asymmetry and relation to genetics 445
  Asymmetrical character specificity in transmission 482
  Asymmetrical femurs in man 471
  Asymmetrical bilobed ear transmitted in man 448
  Asymmetry apparent in structures normally symmetrical 446
  Asymmetry in Peromyscus maniculatus 466–483
  Bilateral symmetry defined 445
  Bilateral symmetry of the egg 461
  Non-inheritance of asymmetry and theory of multiple factors 463
  Non-inheritance of asymmetry
    Cleft palate 452
    Congenital cataract 452
    Harelip 452
    Polydactylism 452
    Supernumerary mammae in guinea pigs 452
  Normal asymmetry hereditary 446
  Sinistro-dextral ratios 483
    Femur length 472
    Femur weight 476
    Pelvic bones 477
    Three paired bones 478
  Sperm nucleus influence on egg cytoplasm 461, 483
  Symmetry, reversal 446
  Variations of acquired asymmetrical variations 447, 448
Biometrical relations between parent and offspring 111
Birds, intergeneric crosses 380
BLAKESLEE, ALBERT F. 68, 241, 242, 255, 262, *264*, 265, 268, *269*, 275, 289, *309*
BLARINGHEM, L. 401, *416*
Blooming governed by length of daylight 433
BOND, C. J. 452, *484*
Breeding for rust resistance 401
Breeding induced under conditions of malnutrition 575–576
Breeding of plants and animals progressing 395

Breeding (practical) through hybridization 365
Bregger, T. J. 210, 213, 215, 216, *239*, 419, 420, *428*
Breitenbecher, J. K. 65
Bridges, C. B. 44–46, 54, 56, 57, 60, 61, 70, 87, 89, *90*, 194, 196, *206*, *207*, 354, 420, *428*, 449, 460, 462, *524*, 570, *572*
Bristles in Drosophila species hybrids, variability 196, 197
Bruchid 83
Bruchidae 66, 68
Bruchus chinensis 66
Bruchus obtectus 66
Bruchus quadrimaculatus 65, 66, 67, 68, 71–87, 89
  Allelomorphism 65
  Backcross tests 79
  Black
    Dominant to tan 70
    Dominant to white 70
    Mutants 68–70
    Recessive to red 70
  Body colors 65, 69, 71, 87
    Black 65, 73, 75, 77, 80, 83, 84–87
    Red 65, 66, 69–71, 87
    Tan 65, 66, 68–71, 87
    White 65, 66, 70, 71, 87
  Color dominance 88
    Correlation to physiological traits 88
  Color factors 66, 71
  Colors, sex-limited 83
  Crosses
    Black×tan 73, 75, 77
    Red×tan 72, 74, 76
    Tan×tan of red type 74
    Tan×tan of tan type 78
    White×tan 76–78
  Description of
    Red 69
    Tan 68
  Distribution 66
  Elytra 68–70, 89
  Epistatic series 66
  Genetic formulae 71
  Genetical material 66, 90
  Heredity of types 71–87, 89
  Hessian brown color 69
  Hybrid crosses 83–87
  Life history 66
  Mendelian segregation 71
  Methods of experiment 67
  Multiple allelomorph system 65, 66, 69, 71, 83, 87–89
    No crossing over between members of 88
  Mutant black 68–70
  Mutant red 69
  Mutant white 70
  Mutants 88
    From allelomorphic series 88
  Order of dominance 66, 79, 89
  Polymorphism 79
  Ratios 71–83
  Red dominant to tan 69
  Sex-limited
    Inheritance 65, 79, 83, 85, 88
    Traits 70–79
  Sexual dimorphism 70, 88, 90
  Types 68–70
  Whippoorwill cowpea as food 67
  White dominant to tan in females 70
  White mutant 70
  Wild types 67, 68, 70
Brues, C. T. 315
Bud variation 456
Bugnion, E. 194, *206*
Bumpus, H. C. *484*
Bunyard, 504
Bursa bursa-pastoris 506
Burtt-Davy, J. 506, *524*

Candolle De 312
Card, L. E. 265–267, 289, *309*
Carleton, H. A. 401
Carmine *Drosophila simulans* allelomorph of garnet *Drosophila melanogaster* 48
Carotin 91, 93
Cartledge, J. L. 263
Caryoborus 68
Castle, W. E. 203, *206*, 315, 418, *428*, 452, 463, *484*, 513, *524*, 573
Cats 451
Cavia porcellus 203–205
Cavia rufescens 203–205
Cetaceans, asymmetry in 446
Character complexes in species crosses 382
Character transmitted from father to son 573
Characters dependent on genes in two chromosomes 194–196
Characters disassociated in hybrids 382
Characters inherited independently in soy-bean 522
Chimera in soy-bean 503
Chittenden, F. H. 66, 68, *90*
Chromosomal irregularities due to hybridization 263
Chromosomal phenomena mechanical 397
Chromosome
  Behavior in species crosses 355
  Changes in evolutionary divergence of species 360
  Constitution of F_1 endosperm in wheat 413
  Count in *Oenothera scintillans 585*
  Duplication in mutations of Datura 242, 262
  Essentially same in two species of Drosophila 206
  Extra, eggs with, of reduced vitality 262
  Extra, male gametes with, non-viable 262
  Groups compared in *Drosophila simulans* and *Drosophila melanogaster* 198, 199
  Identical in two species of Nicotiana 360
  Map of *Drosophila funebris* 53, 63
  Map of *D. melanogaster* 53
  Map of *D. Simulans* 53
  Map of *D. virilis* 53, 63
  Numbers in Nicotiana 360
  Relationship of factors for plastid coloration in maize 103–107, 109

Y chromosome bearing a gene 560, 566, 570, 572, 573
CLAUSEN, R. E. 355, 357–359, *365*, 463, *484*
COBB, FRIEDA 1, 2, 4, 7, *15*, 16, 28
Coin-tossing 397
COLE, L. J. 417, *428*, 488
COLLINS, G. N. 210, 213, 234, *239*, 419, *428*
COLLINS, J. L. 504, *524*
Coloration of maize seedlings 91
Colors sex-limited in Bruchus 83
COLUMBUS, CHRISTOPHER 312
COMES, O. 311–313, 315, 347, *365*
Complemental genes 200
Complementary factors 524
Conclusions from data, subjective element 350
CONKLIN, E. G. 459, 460, 462, *484*
Connecticut Cuban tobacco, mutation 433, 440
CONROW, S. B. 471, *484*
Contamination 397
Corn, see maize
CORNELL UNIVERSITY 211, 213, 417
CORRENS, C. 205, *206*, 212, *239*
Cotyledon color in peas, ontogenetic difference 504
Cotyledon color in soy-bean, maternal inheritance 509
Coupling 418
Crabs, fiddler, 451
CRAMPTON, H. E. 450, 457, *484*
CRAWSON, MISS RUTH T. 275
Crosses
  Between species of Nicotiana 318
  Between species, plant improvement by 364
  Between wheat and rye 401
  Reciprocal in tobacco, show significant difference 443
  With *Oenothera Lamarckiana* 574
Crossing over 397
  Between X and Y sex chromosomes 570–573
  Confined to sex homozygous for sex determinants 418
  In anthers and ovaries in *Primula sinensis* 419
  In both microsporangium and megasporangium in sweet pea 418
  In both sexes in grouse locust 418
  In Drosophila percent variable 420
  In maize 214–216, 417–427
  In male grouseless frequent than in female 418
  In production of megaspores and microspores 215–217
  In X chromosome in Drosophila species, coincidence 199
  More frequent in female than male rat 419
  None in female fowl 417
  None in female pigeon 417
  None in male Drosophila 417
  None in male *Drosophila simulans* 182, 187, 200
  Relative frequency in males and females 418–426
  Means of originating domestic races 364–365
Crossover classes in maize 106
Crustacea heterochelate 457
Crustaceans asymmetrical 457
Culex theileri 194
Culicidae 194
Cytological problem in sterile and unlike reciprocal hybrids in pheasants 383
Cytoplasm of germ cells, little effect on F_1 characters 359
Cytoplasm, role in inheritance 459–461
Cytoplasmic characters of biparental origin 459

Dafila, see duck
DARBISHIRE, A. D. *398*, 504, *524*
DARWIN, CHARLES 447, 448, *484*
Datura ferox 252
Datura laevis 252
Datura Leichardtii 252
Datura quercifolia 252
Datura Stramonium, see Jimson weed
DAVENPORT, C. B. 390, *398*
DAVIS, B. M. 12, *15*, 574, 575, *586*
Deer-mouse, see Peromyscus
Deficiency 397
DETLEFSEN, J. A. 202, 203, 205, *206*, 420, *428*
Dexiinae 192
Dexiine 193
Dice-casting and breeding phenomena 384
  Ancestry of F_1 generation 394
  Dice-casting and pedigree selection 384
    Apparatus needed 385
  Dice-casting demonstrating statistical proportion of Mendelian behavior 397
  Dice-casting illustrating filial regression 388
  Dice-casting illustrating reversion 388
  Environment, anti-mean influence 390
  Genotype 386, 387, 390
    Offspring of same parental 389
  High strain 394
  Low strain 394
  Mediocrity, pull of 389
  Offspring 390
  P_1 parents 394
  Parental values 389, 390
  Phenotype 386
  Pure lines rating 384, 391
  Race, drag of 389
  Race, mean of 389, 390
  Regression, filial 389
  Regression values 390
  Selection difference in direction mere chance 392, 393
  Selection within pure line futile 394
  Somatic values 390
Dioecious plants no comparison of frequency of crossing over in males and females 419
Diptera 179
  Intersexual in literature 192
  Mutations as possible cause of intersexes 193
Disomes 263
Dolichopodidae 194
Domestic animals, origin 364, 365
Domestic plants and animals, improvement 364
Domestic plants, origin 364, 365

Domestic races, origin 364, 365
Dominance 117
  Lacking in duplicate factors 506
  Of color correlated to physiological traits 88
  Of color in Bruchus 88
  Reversed in two sexes in cattle 89
Dominant factors more conducive to vigor than recessives 171
Dominant originating in recessive 11
DONALDSON, H. H. 471, *484*
Drosophila affinis 201
Drosophila balanced lethal stock 1
Drosophila busckii 200
Drosophila crossing over 420, 427
  Factor pairs in different groups 199
Drosophila funebris 200
  Chromosome map 63
  Forked 204
  Hairless 204
  Linkage 204
  Notch 204
    Linkage between notch and forked 64
    Mutation 63
  X chromosome 64
Drosophila hybrids sterile 198
Drosophila immigrans 200
Drosophila melanica 201
Drosophila melanogaster 43–49, 54, **60**, 62–69, 180, 194, 202, 204, 205, 215
  Black 201
  Compared genetically with *D. simulans* 197–200
  Crossing over compared with *D. simulans* 199
  Crossing over confined to female sex 417
  Dwarf prune crossovers 47
  Forked 62, 204
  Garnet 62
  Hybrids show characters not present in parents 200
  Lethal 341
  Linkage variations 54
  Locus of dwarf 47
  Locus of notch 64
  Locus of scarlet 181
  Locus of yellow 64
  Loci 201
  Lozenge and lozenge 2 allelomorphic sex-linked mutants 61
  Mutant characters 460
  Mutant races×wild types from different localities 200
  Non-disjunction **55**, 354
  Parallel between, and Oenothera 1
  Peach spineless sooty rough 183
  Prune 62
  Prune (*melanogaster*)×prune (*simulans*) 47
  Purple 184
  Rotate gene in third chromosome 449
  Rotated abdomen 449, 460, 462
    Sexes sterile 449
  Ruby 62
  Sable 201
  Scarlet 201
  Second chromosome mutants 185
  Sooty 201
  Star pale dichaete male 449
  Vermilion 201
  Vortex 196
  Wild races 200
  ×*D. simulans* 180, 196, 205
  Yellow 62, 204
  Yellow (*melanogaster*)×yellow (*simulans*) 47
Drosophila quinaria 201
Drosophila robusta 201
Drosophila simulans
  Allelomorphic genes 180, 183, 199
  Allelomorphism of mutant genes 46, 48, 49, 61, 62
  Autosomal genes 179–207
  Autosomal mutations 179
  Autosomal recessive eye-color 55, 58, 59
  Autosomes 43
  Branched 195
  Carmine 184, 185, 199
    Allelomorph of garnet 48
  Chromosome groups compared with *melanogaster* 198, 199
  Chromosome maps 53, 63
  Coincidence values 54, 55
  Compared genetically with *D. melanogaster* 197–200
  Crossing over between
    Branched and plum 196
    Branched and spread 196
    Frayed and plum 186
    Kidney-like and scarlet 194
    Scarlet and roughish 182
    Spread and plum 187
  Crossing over
    Compared with *D. melanogaster* 199
    In X chromosome coincidence of two species 199
    None in male 182, 187, 200
  Crossovers between peach and scarlet 183
  Delta a third autosomal dominant gene 181
  Delta description 181
  Delta females sterile 181
  Double recessive scarlet peach 183
  Forked 184, 199, 204
  Fourth chromosome 184
  Frayed
    A second autosomal recessive 185
    Description 185
    Flies dwarfish 185
    Manifold effect of gene for 185
    Often sterile 185
  Garnet-carmine 202
  Genes compared with melanogaster 198, 199
  Genes complemental 200
  Genes in distinct species identical and in same position on chromosome 54
  Gene manifold effect of 185
  Genetic constitution 43
  Genetic studies 43–65, 179–207
  Gynandromorphs 43, **55**, 56, 62, 199
    Absence of, among melanogaster-simulans hybrids 43, 60

Genitalia 57
Hybrid offspring not changed in chromosome relations 198
Hybrids
Show characters not present in parents 200
Sterile 198
With melanogaster wild type 182
Intersex
A second autosomal recessive 187, 199
Compared with hybrid intersexes 192
Conditioned by recessive autosomal gene 179, 188–192
Description 188–190
Females modified by recessive autosomal gene 190
×plum 190
Intersexes 179, 182, 184
Mutation as possible cause in Diptera 193
Not gynandromorphs 191
Sex-linked characters not present 190
Kidney-like 194
Linkage between sex-linked genes 49–54
Linkage variations 54
Linkage in X chromosome 50
Loci having same sequence in *simulans* and *melanogaster* 206
Loci in X chromosome 51
Loci of genes 44
Locus
Forked 64
Peach 183
Roughish 182
Rubyoid 54
Scarlet 181
Sex-linked genes 44
Males homozygous for intersex sterile 191
Map of X chromosome 43, 49, 53, 63
Mutant genes
Allelomorphic 63
Recessive 199
Mutations
Dwarf not identical in *D. melanogaster and D. simulans* 47
Identical in *D. melanogaster and D. simulans* 201, 204, 205, 206
Of different species crossed 47, 48
Non-disjunction 43, 55, 61, 62
Of sex chromosomes 199
Parallelism of sex-linked mutations in *simulans* and *melanogaster* 43, 46–48
Peach
A third autosomal recessive gene 183, 184, 199
simulans allelomorph of peach *melanogaster* 183
Plum 184, 199
Description 184
Prune 184, 185, 199
Roughish 182, 199
Third chromosome recessive gene 182
Ruby and rubyoid due to allelomorphic genes in melanogaster and simulans 48
Rubyoid 181, 184, 199
Scarlet 59, 60, 180, 184, 199
Allelomorphic to scarlet melanogaster 180
Autosomal recessive gene 180
Second autosomal gene allelomorphic to melanogaster 184, 185
Second chromosome 184
Semi-lethal dwarf 45, 46
Sex-determining gene 184
Sex-linked characters not present in intersexes 190
Sex-linked group of genes 43–64
Carmine 44, 45, 49–53, 62
Dwarf 44, 45, 47, 49–53
Forked 44, 45, 48–53
Lethals 44, 46, 49–53
Prune 44, 47, 49–53, 62
Rubyoid 44, 45, 48–55, 62
Tiny bristle 44, 46, 48–53, 55, 62
Yellow 44, 47, 49–53, 55, 58, 62
Sex-linked mutations 43, 44, 46
Sex ratios 197
Somatic mutations 61
Species crosses 180, 182, 197
Species hybrids 43, 47, 197, 200, 204, 205
Survival and relation to X chromosome 198
Spread, a second autosomal recessive 186, 196
Sterility in frayed 185
Third chromosome
Genes 180–183
Lethal 195
Scarlet 181
Tiny-bristle 185, 199, 202
Variability in species hybrids due to modifiers 200, 204, 205
Variability of bristles in species hybrids 196, 197
Wild type 45, 181–184, 190
X chromosome 50–52, 54, 184, 198, 199, 206
XO simulans 55
XXY simulans 55
Yellow 184, 199, 204
Carmine scarlet 61
Prune crossover value 47
Species, allelomorphic genes in 180, 199
Species crosses 180, 182, 197
Drosophila type XX-XY 566
Drosophila virilis
Forked 63, 64
Sex-linked mutant genes 63
Yellow 63
Ducks, see segregation in species hybrids
Australian, *Anas supercilliosa* 381
Black, *Anas rubripes* 367, 381
Florida, *Anas fulvigula maculosa* 367, 381
Mallard, *Anas platyryncha* 367
Muscovy, *Cairina moschata* 380
Pintail, *Dafila acuta* 380
Crosses in ducks
Mallard×Australian 370, 381
Mallard×black 367, 370, 371, 381
Mallard×Florida 367, 371, 381
Mallard×pintail 380, 382

Muscovy×Mallard 380
Fertile in wide crosses 383
Generic crosses 371, 380, 381
Intergeneric cross producing unlike sterile reciprocal hybrids 380
Intergeneric mating no sterility 380
DUNCAN, F. N. 200, *206*
DUNN, L. C. 203, *206*, 418, *428*
Duplicate genes in soy-bean 505, 506
Duplicate genes dominant 506
Dwarfness in soy-bean 523

EAST, E. M. 92, *110*, 111, *123*, 204, *206*, 210, 212, 213, *239*, **311**, 361, *365*, 395, *398*, 464, *484*, 506, *525*
EGBERT, A. D. 267, *309*
Egg production **265**
Method of determining 267
Method of predicting 268
Periods 267
Prediction equations 267
Records **265**
Embryo sac in wheat 403
EMERSON, R. A. 92, 103, *110*, 210–213, 217, 221–224, 227, 229, 232, 234, 237, *239*, **417**, 420, 421, *428*, 514, *525*
Empididae 194
Endosperm behavior in wheat crosses 402
Endosperm in maize **209**, 219, 224
Endosperm of wheat, chromosome constitution F_1 413
Endosperm of wheat, extra set of maternal chromosomes correlated with abnormal development 413
ENGLEDOW, F. L. 403, *416*
Environmental difference in response to 397
EVERMANN, B. W. 451, *484*
EYSTER, W. H. **209**, 229, 419, 420, *428*

F_2 variability 464
Factor, indeterminate growth, in tobacco **433**
Factor, multiple, hypothesis 482, 483
Factorial interactions in maize 94, 95, **98–102**, 110
Factors
Duplicate **506**
Environmental 115, 116
Forming multiple allelomorph system 71
Governing plastid color in maize 91, 108
Group relations in plastic coloration in maize **102**
In cotyledon color in peas 504
In maize 209
In soy-bean, symbols 524
Multiple and non-inheritance of asymmetry **463**
Fannia scalaris 193
Fannia incisurata 193
FARNHAM, M. E. 242, 262, *264*
Fecundity
In domestic fowl 265, 267, 308
Inheritance 308
Interrelationship 308
FELT, E. P. 194, *206*

Female homozygous for sex in *Aplocheilus latipes* 566
Fertile F_1 hybrids 407, 413
Fertility
In tobacco, methods of determining 335, 337
Not correlated with plant characters 353
Of species crosses in wheat 400
Fertilization in wheat (double) 403
Fibonacci series 128
FISH, H. D. 114, *123*, 126, *143*
Fish
Body colors 555, 556, 558
Blue 555, 560, 561, 563, 565, 567, 568
Brown 555, 560, 561, 563, 565, 567, 568
Colorless 560, 562
Orange-red 555
Red 555, 560, 561, 563–569, 572
White 555, 560, 561, 563–569, 572
Color-producing genes **564**
Colorless young 560
Crossing over between sex chromosomes 570–573
Dominance of genes 565, 572
Genes 564, 565, 568, 572
Melanophore 565
Rearing the young 555
Sex-linked inheritance 558, 559, 561–563, **565**, 566, 568, 569, 571
Spawning in *Aplocheilus latipes* 555
Triple allelomorphs **565**
Variegation 564
Varieties 556
X and Y chromosomes, crossing over between 570–573
Xanthophore 560, 565
Y chromosome bearing a gene 566
Y chromosome contains a dominant gene R 560, 570, 572, 573
Fishes, flat 451
Fishes, teleost 451
Flower color in soy-bean 523
FOCKE, W. O. 315, 316, 318, *365*
FOOT, K. 88, *90*
Fowl, blue Andalusian 213
Fowl, crossing over in male 417
Fowl, egg production **265**
Fowl, inheritance of size 463, 464
Fowls, supernumerary digits 452
Fowl, White Leghorn
Correlation of egg production 266, 308
Correlation, theory of multiple 290
Egg production **265**
Comparison of four periods as bases for prediction of annual record **308**
Comparison two- and three-month periods as bases for prediction **307**
Correlations between individual months and year as whole 266
Difference between single-month and two-months production as bases of prediction 296
Formulae 270–272
Interrelationship of different periods 266
Method of determining record 267

Method of predicting 268
Notation and theory 270–274
Periods 267, 308
Periods of two months and single month as basis of prediction 282–285
Physiological laws underlying 267
Prediction 265, 266, 269, 275–308
Equation 267, 269–271, 296, 309
Error 276, 280, 281, 289, 295, 299
Of annual record from record of one month 275–281, 294, 297–299, 309
Of annual production from two monthly records 289–294, 209
Of annual production from sum of three monthly records 296–301, 309
Of egg production of group of months from record of any month 281–288
Of egg production of group of months from sum of two monthly records 295, 296
Of production of subsequent period from sum of three monthly records 302–307
Egg records 265
Fecundity in domestic fowl 265, 267, 308
Inheritance and interrelationship 308
Linearity of regression 275
Variation in egg production 308
FREEMAN, G. F. 401, *416*
FRUWIRTH, C. 407, *416*

GÄRTNER, C. F. 315, 316, 318, *365*
GAINES, E. F. 401
GALLASTEGUI, C. A. 209, 210, 213, 214, *239*
Gamete formation in Nicotiana hybrids 362, 363
Gametes, elimination of certain classes 399
Gametes
Female more fertile than male 410
Functional in Nicotiana need parental chromosome number 360
Heterosis effect 363
Proportionate formation of male and female in Nicotiana 351
Sterility in tobacco 337
Gametic lethals in Datura 263
GARNER, W. W. 433, *444*
Gastropod, sinistral development 457, 461
GAUPP, E. 471, *484*
GAVIN, MISS KATHLEEN 275
Generic crosses in duck 371
Genes
Compared in *Drosophila simulans* and *Drosophila melanogaster* 198, 199
Complemental 200
For secondary sex color-patterns on separate chromosomes 382
In distinct Drosophila species identical 54
In two chromosomes, characters dependent on 194–196
Method of comparing in two species of Drosophila 46
Not identical in different species 202
Producing color in *Aplocheilus latipes* 564
Relative loci in *Drosophila melanogaster* and *Drosophila simulans* 199
Spatial arrangement 459
Genetic
Analysis of Oenothera 2
Behavior of body color of *Aplocheilus latipes* 555
White a sex-linked character 558
Comparison of *Drosophila simulans* and *Drosophila melanogaster* 197–200
Constitution, cause of sterility 361
Constitution of *Drosophila simulans* 43
Constitution of related species of Drosophila 201–206
Constitution of varieties of Aplocheilus 565
Evidence of multiple allelomorphs in Bruchus 65–90
Formulae for Bruchus 70, 71
Researches, Bruchus favorable material 90
Studies on *Drosophila simulans* 43–65, 179–207
Symbols and formulae in fishes 564–567, 569, 572
Genetics of fishes 555
Genitalia in gynandromorph in Drosophila 57
Genotype, potentiality to throw phenotypes 384
Germination, method of in Oenothera seed 575
Germ-plasm continuity 461
Germ-plasm reorganized in crossing 360, 361
GERNERT, W. B. 212, *239*
GHIGI, A. 378, 380, *383*
GIARDINUS 566
Gigas-like habit recessive in *Nicotiana rustica* 321
GODRON 315, 316
GOLDSCHMIDT, R. 192, *206*
GOODALE, H. D. 417, *428*
GOODSPEED, T. H. 355, 357–359, *365*
GOWEN, J. W. 215, *239*, 419, 420, *428*
Grain size and shape dependent on female parent 403
Gray Herbarium 312
GREGORY, R. P. 354, 418, 419, *428*
Growth, determinate and indeterminate in segregating progenies 435
Growth normal habit dominant in combinations with mutant 434
Guinea pigs 202, 203
Allelomorphs intense, dilute, red-eye and sooty albino 203
Black, cream, maltese, red, sepia, white 203
With supernumerary digit 452
Gymnochoristomma bosnica 193
Gynandromorphs in Drosophila 43, 55–60, 62, 196, 199
Gynandromorph, duck 380

HAGEN, H. *206*
HAIG-THOMAS, R. 380, *383*
HALDANE, J. B. S. 203, *206*
HALDANE, N. M. 203, *206*
HARDY, G. H. 112, *123*
HARRIS, J. ARTHUR 265, 268, 269, 275, 289, *309*, 489, *525*
HARRISON, J. W. H. 192, *207*

HAYES, H. K. *110*, 210, 212, 213, *239*, 361, *365*, 401, 414, *416*, 433, 434, *444*, 506, *525*
HEDWIG 316
Helix sinistrality 458
HENSEN 447
Hereditary behavior of abnormal chlorophyll types 91
Hereditary factors 115
Heredity
  And environment **115**, 116
  Control of due to inbreeding 129
  Of body colors in Bruchus 79
  Of types in Bruchus 71–87
HERIBERT-NILSSON, N. 581, *586*
Heritable factor differences in varieties of *Nicotiana rustica* 319–321
Hermaphrodite, protandrous 194
Hermaphroditic plants crossing over in micro- and megasporagenesis 419, 426
Heterogametism in *Oenothera pratincola* **1**–42
Heterosis, vigor of in Nicotiana species crosses 361
Heterozygosis **120**, 136
Hilara wheeleri 194
Hilum inheritance in soy-beans **487**
Homalomyia 193
Homozygosis **120**, **171**
  Correlation with reduction in fecundity 171
Homozygosity in F_2 Nicotiana species hybrids 353
HORN, GEO. H. 68, *90*
Horse, color inheritance 205
HUESTIS, R. R. **445**
HUTCHISON, C. B. 210, 212, *239*, **417**, 420, *428*
HUXLEY, J. S. 566, 572
Hybrid
  Crosses in Bruchus 83–87
  Generations, range of variation 463
  Vigor due to complementary action of dominant favorable growth factors 441
  Vigor in F_1 pheasant crosses 376
  Vigor, wheat **406**, 412, 413
    In both F_1 endosperm and plant 413
    Of F_1 wheat 399
Hybridity indicated by sterility 262
Hybridization
  In improvement of domestic races, government aid for 365
  Not cause of duplication mutations 263
  Results differ 381
Hybridizers, work of early **315**–318
Hybrids
  Between species of Drosophila 43, 47, 48, **60**
  Domestic plants and animals derived from 311
  Dwarf in Nicotiana species 316
  Measurement of flowers 316
  Natural wheat rye hybrids 401
  Partial sterility **311**
  Species of Drosophila 197, 200, 204, 205
  Stable in ducks 382
  Sterile in Nicotiana species 316
  Very vigorous 316
Hydrotaea metorica 194
Hymenoptera 193
Hypothesis
  For factorial interactions in plastid coloration in maize 94, 95, 98–102
  Reason for rejecting special mechanism 354

IBSEN, H. L. 505, *572*
IKENO, S. 506, *525*
Improvement of plants by species crossing 364
Inbreeding effect 174
  On incidence of mutation 264
  On prepotency 177
Inheritance
  In Bruchus 89
  Independent, three factor-pairs in plastid coloration in maize 98, 110
  New type 573
  Of acquired asymmetrical variations 447, 448
  Of color in a fresh-water fish **554**
  Of colors in guinea pigs described by Ibsen 565
  Of crosses in Oenothera 4–9
  Of independent unilateral variations 462
  Of pigments in maize seedlings **91**
Inherited deviations from bilateral symmetry **445**
Inhibiting factors in wheat 416
International egg-laying contest 269, 274, 308
Intersexes 179
  Conditioned by autosomal gene 179, 188–192
  Mutation as possible cause in Diptera 193
ISHIWARA, M. 564, 565, *572*

JACOBSON 89
JENNINGS, H. S. 112–114, *123*, 126, 128, 130–132, *143*, 144, 157, *161*, 162, *166*, 395, *398*
JENSEN, G. H. 403, *416*
Jimson weed (*Datura stramonium*)
  Chromosomal irregularities due to hybridization 263
  Chromosome duplication in mutations 242, 262
  Crossing, effect of on mutations 263
  Disomes 263
  Genetic lethals 263
  Globe mutant **241**, 252
    Description **242**–247, 263
    Egg cell more effective in originating mutations 256
    Egg cell more effective in transmitting mutant character 256, 262
    Egg cells transmit to 25 percent of offspring 248
  Globes
    Hybridity indicated by sterility 262
    Inbreeding **251**, 252, 264
    Inheritance through female 248
    Male gametes with extra chromosome non-viable 262
    Mutants tri-somic 242, 263, 264
    Mutants×normals produce excessive number globe 256

Mutations
Cause of 255
Incidence 264
In mass cultures 253, 254
Inheritance 247–250, 252, 263, 264
Inherited through female 241, 248
Loss of vigor 247
More frequent from simple tri-somic mutants than from normals 262
Vigor less than in normal Daturas 262
Non-disjunction factors influencing 255
Normal parents, occurrence of globe mutations 255
Normal selfed 251
Normal×globe 247, 248, 251, 264
Normal×mutant 256
Occurrence 252–256, 264
Pollen
Good in normal Daturas 259, 260
Percentage bad 257–261
Sterility 256–261, 263
Tubes of mutant grains retarded 262
Pollen grains defective 264
Pollen transmits to 3 percent of offspring 248
Round-leaf 247
Selfed 247–249, 251, 263
Produce lower percentage mutant offspring than globe×normal 249
×normal 247–249, 251, 263
Sterility indication of hybridity 262
JOHANNSEN, W. J. 394, 395, *398*
JONES, D. F. *123*, 171, *178*, 209, 210, 213, 214, *239*, 395, *398*, *416*, **433**, 441, *444*, 464, *484*
JORDAN, D. S. 451, *484*
JORDAN, H. E. 449, 450, 460, 462, *484*

Kallima 202
KEILIN, D. 188, 192, *207*
KELLEY, F. J. 417, *428*
KEMPTON, J. H. 210, 213, *240*
KING, H. D. 203, *207*
KIRKPATRICK, W. F. **265**, 268, 269, 275, 289, 309
KÖLREUTER, 315–318
KORNHAUSER, S. I. 193, *207*
KURTZWEIL, C. 401, 414, 416

LANCEFIELD, D. E. 180, *207*
LANG 450, 451
LARRABEE, A. P. 451, *484*
Lathyrus odorata 418
LAUGHLIN, HARRY H. 384–398
Laws of probability 448
Lebistes reticulatus 573
LEIGHTY, C. E. 416
Lethal factor in *Drosophila melanogaster* 341
Lethal factor in Nicotiana 341
Lethal factors 397
In wheat crosses 399, **408**, 416
LINDSTROM, E. W. 92, 93, 103, 107, *110*, 210, 211, 213, 232, *240*, 418, 419, *428*, 511, *525*
Linkage
Affecting prepotency 171
Between cotyledon and seed-coat color in soy-bean 510, 524, 547
Between hilum and pubescence colors in soy-beans **518**, 524
Between notch and forked in *Drosophila funebris* 64
Between sex-linked genes of *Drosophila simulans* 49–54
Chlorophyll and aleurone factors in maize 103–107
Groups in soy-bean **522**
In maize, variation in **215**–217
In pollen and egg formation 419
Relations in maize **209**–240
Variations in Drosophila 54
Linkages different in male and female rats 419
Linked factors in maize 209, 217–227
Loci identical in guinea pigs 203
Loci
Number in *Drosophila melanogaster* 201
Of genes in *Drosophila melanogaster* and *Drosophila simulans* 199
Of mutant genes in Drosophila 64
LOCKWOOD, EDNA K. 275
Locus sex-linked genes in *Drosophila simulans* 51
LOEB, J. 460, *484*
LOEW, H. 194, *207*
LUNDBECK, W. *207*

MACDOWELL, E. C. 466, *484*
Maine Experiment Station 267
Maize
Albino 91
Recessive to green 92
Seedlings die early 92
Aleurone 105, 106
Crossover percentages 420, 422
Blotched leaf 228
Carotin 91, 93
Cauliflower type of inflorescence 234
Chlorophyll 109
Crinkly leaves 229
Crossing over 215, 237
In megasporangium 426
In microsporangium 426
In microsporogenesis and megasporogenesis 418, 419, 424, 425, 427
Difference in frequency 420, 425
Due to environment 424, 427
Double 427
Frequence of not greatly different 427
Rate of 423
Rate of plant color and liguleless leaf 423
More frequent in megasporangium 426
Crossover classes 106
Crossover percentages 420, 423, 427, 429, 430, 432
Coupling series 218, 424
Dihybrid ratios 92
Factor pairs for tunicate ear and sugary endosperm on same chromosome 237
Factor symbols 92, 93
Factorial interactions 94, 95, 98–102, 110

Factors 92, 103, 105, 209–239, 420–427
Action of 92
Behavior seedling-chlorophyl 105
Chlorophyll 106
Functions of individual 99
Governing plastid color 91, 108
Chromosome relationship 103–107, 109
Typically Mendelian 108
Group relations 102, 109
Somatic expression of not related to position in germplasm 109
Genetic formulae 92, 93
Genotypes 95
Green 101, 108, 109
And white striped 94
And yellow striped 94
Plastid color governed by two pairs of genetic factors 91
Hereditary behavior of abnormal chlorophyll types 91
Homozygous tunicate plants sterile 213, 237
Imperfect dominance in tunicate 213, 237
Independence 103
Inheritance of green and yellow pigments 91
Inheritance of three factor pairs independent 98, 110
Japonic type 94
Linkage 107
Between tunicate ear and sugary endosperm factors 213, 215
Groups 217–227, 238
Intensity genetic difference 427
Of chlorophyll and aleurone factors 103–107
Tests between various groups 217–238
Variable 420
Linked factors 209, 210
Golden plant with aleurone 210
Sugary endosperm, relations with other mutant factors 211
Sugary endosperm with tunicate ear 209, 210
Sun-red plants with liguleless leaf 210, 222
Tassle seed with pericarp color 211
Waxy endosperm and aleurone color 210, 216
Yellow endosperm with purple anthers 210
Yellow with aleurone 210
Luteus 93
Mutant factors 209, 211, 239
Pericarp color 106
Phenotypes in plastid coloration 94
Plant-color factor 226
Probable error of ratios 211
Ratio 9, 7, 109
Ratios in plastid color inheritance in maize 92–103, 107
Ratios modified 93, 94, 98, 100, 101
Relations of sugary endosperm and other mutant factors 211
Repulsion series 218, 424
Seed, colored and colorless 105
Starchy endosperm 210
Starchy-sugary endosperm 219, 224, 226, 228
Sugary endosperm 419
Sugary-tunicate linkage relation 419
Tri-hybrid ratios 95
Tri-hybrid relations 95
Tunicate ear 419
Dominant character 209, 211, 213
Variation in linkage 215–217
Virescent 91, 92, 101
Factor effect 94
Recessive to green 92
White 92, 93, 95, 105, 107
Yellow 94, 101
White 108, 110
Xanthophyll 91, 93, 109
Yellow 91–93, 95, 101, 105, 106, 108, 110
And virescent-white relation 93
Plastid color governed by one pair of genetic factors 91
Recessive to green 92
Male secondary sex character absent in duck species hybrids 367, 368
Malnutrition as cause of irregularities in segregation 574
Mammals, black, brown, dilute, piebald, white, yellow 202
Man
Cleft palate, congenital cataract, harelip, polydactylism 452
Asymmetrical bilobed ear transmitted 448
Asymmetrical femurs 471
Asymmetrical squint eye 448, 449
Ear defect 460
Eye defect 460, 461
Height and germinal constancy 390
Inheritance of asymmetry 448
Inheritance of left-handedness 449, 450, 458, 460
Right-handedness 450, 458, 462
Situs inversus 450, 458
Skeletal asymmetry 453
Mass mutations 2
Mating, systems of 111–178
Allelomorphs 119
Analysis by path coefficients 114
Assortative 113, 114, 118, 120, 122, 144, 145, 147, 150, 153, 154, 157, 167, 174–176, 178
Based on somatic characteristics 175
Based on somatic resemblance 144–161
Imperfect 160
Perfect 160
Biometric relations between parent and offspring 111–123
Brother-sister matings 126, 135
Coefficient of correlation 115, 117
Combinations of factors 112
Combination of systems of mating 169
Combined systems of breeding 167
Consanguinity 119, 121, 122, 124, 136, 142
Correlation
Between brother and sister 127, 169
Between gametes 120
Between mated individuals 129
Between parents 119, 169

Between parent and offspring 122, 129, 168, 169
Between offspring of a mating 130, 153
Between two variables 115
Between zygotic formulae 118
Correlations, degrees of 114
Correlations between relatives **120**
Crossing of pure breeds 113
Differential death rate 114
Differential productivity 114
Disassortative mating 154, 167, 176, 178
Dominance **117**, 119
Dominant factors more conducive to vigor than recessives 171
Double first cousins **133**, 135
Effects of inbreeding on genetic composition 124–143
Effects of systems of breeding 169,174
Environmental factors 116
Environmental influences 120
Equilibrium **153**
under random 112, 113, 121, 122
Fertility 114
First cousins **139**
Formula, case of no dominance 144
Formula with dominance 144
Formulae 113, 117–122, 125–128, 130–137, 139, 141, 142, 146–148, 151–157, 159, 161–165, 173
Genetic constitution 118
Genetic variation of a population 120
Half-brother and sister **136**–139
Half-first cousins **141**
Heredity and environment **115**, 116
Heterozygosis **120**, 136
Percentage 125, 126, 131, 132, 134, 135, 137, 139, 141, 144–147, 152, 155, 165
Homoscedastic 155
Homozygosis **120, 171, 174–176**
Correlation with reduction in fecundity 171
Effect of selection on **176**
Percentage of 129, 138
After inbreeding **172–174**
Inbreeding 122, 129, 147, 154, 157, 161, 167, 172, 175, 177
Decline of vigor 141
Intangible factors 116
Linkage affecting prepotency 171
Live-stock method of fixing characters 138, 173
Method illustrated **122**
Multiple factors 119
Octuple third cousins **135**, 136
Parent-offspring mating **130**
Path coefficient 115, 116, 118, 120, 124–126, 130, 131, 133, 146
Defined 114
Prepotency cause of 129, 171
Prepotency effect of 177
Pure-breeding 113
Quadruple second cousins 134, 135
Random mating 121, 122, 154, 167, 176
Rate 114
Recessive factors 119
Second cousins **141–143**
Segregation 118
Selection 119, 167 178
Control over heredity 166
Effects of **162–166, 176**
Influence of environmental variation **165**, 166
One factor involved **162**, 163
Toward definite type **163**, 165
Self-fertilization **130**, 135
Sex linkage 118
Squared path coefficients 115
Two-factor case 112
Variability of population **153, 176**
Variation
Due to one unit factor **144**
Due to two factors **145**
Reduced by selection 166
Vigor correlation with homozygosis 171
Zygote and gamete **118**
Matroclinous hybrids due to polyembryony 318
Medaka, see *Aplocheilus latipes* 554
Megaspore development in maize **417**
MEIJERE, J. C. H. DE 89, *90*
MELANDER, A. L. 194, *207*
Melanesotma 192
MENDEL 111
Mendelian behavior in Anas species hybrids 370
Mendelian factors, distribution 124
Mendelian factors demonstrated in domestic animals 111
Mendelian heterozygosity 397
Mendelian inheritance in *Oenothera Pratincola* 1–42
Mendelian mechanism 112
Mendelian ratios, conditions for equilibrium in 112
Mendelian reaction system 357, 359
Mendelian segregation in Bruchus 71
Mendelism more nearly approached in closely related forms than widely separated species 380
METCALF, Z. P. 67
Method of forcing Oenothera seeds to germinate 575
Method of inbreeding 173
METZ, C. W. 44, *62–64*, 184, 204, *207*
Mice
Intense and albino allelomorphs 203
Pink-eye 203
Microspore development in maize **417**
MILES, F. C. 92, 93, *110*
MINER, J. R. 212, *240*
MINNS, MISS L. A. 263
Mirabilis, chlorina mutant 205
Mirabilis Jalapa 205
Mirabilis longiflora 205
Mitotic aberrations at reduction division 354
MOHR, O. L. 196, *206*
Mollusks 451, 457
Inheritance of dextrality and sinistrality 450

MORGAN, T. H. 1, *15*, 44, 46, 55, 57, 60, *63*, 70, 87–*90*, 194, 202, *207*, 215, *240*, 341, 417, *428*, 459, *524*
Morphology of wheat 403
MORSE, W. J. 487, 510, 517, *525*
Mules, color inheritance 205
MULLER, H. J. 1, *15*, 87, 89, *90*, 201
Multiple allelomorph series, no crossing over between members of 88
Multiple allelomorph system and sex-linked inheritance **65**, 66, 69, 71, 83, 87–89
Multiple factors 112
Mutability, periodicity of 11
Mutants
  And types in *Bruchus quadrimaculatus* **67**
  Characters in *Drosophila simulans* 44
  Characters in Drosophila species similar 63
  Factors in corn 209
  Genes allelomorphic in species of Drosophila 48, 63
  Genes recessive 198, 199
  Globe in Datura **241**, 263
  Pollen tubes retarded 262
  Of Bruchus 88
    Form allelomorphic series 88
  Simple tri-somic 263, 264
Mutated gene 192
Mutation
  As possible cause of intersex in Diptera 193
  Concealed 13, 14
  In tobacco 433, 434
Mutations
  Autosomal in *Drosophila simulans* 179
  Cause of 255
  Duplication of chromosomes 242
  Not identical in *Drosophila melanogaster* and *Drosophila simulans* 47
  Identical in different species of Drosophila 201, 203–206
  In Datura 241
  Incidence 264
    Effect of inbreeding 264
  Inheritance 247–250, 252, 263, 264
  Inherited through female 241, 248
  Loss of vigor 247, 262
  More frequent from simple tri-somic mutants than from normals 262
  Not caused by hybridization 263
  Oenothera Pratincola 1–42
    Induced by crossing 11, 14
  Of *Drosophila melanogaster* 43, **46–48**, **61**, 62
Mydaea (*spilogaster*) *duplicata* 193

NABOURS, R. K. 418, *428*
National Herbarium 312
NAUDIN, C. *Frontispiece*, *207*, 315, 316, 318
NEWMAN, H. H. 451, *484*
Nicotiana, see tobacco
Nicotiana 315
  Backcrosses 324
    Variability 363
  Correlation between plant characters and fertility none 336
Crosses
  N. rustica brasilia×*N. paniculata* 342
  N. rustica humilis×*N. paniculata* 315, 316, 320–329, 331, 333–339, 346, 347, 348, 356
    Dwarf segregate 329, 346
    Fertility 227, 327, 331, 334–339, 347, 349
    Giant segregate 329, 341
    Reciprocals identical 350
    Sterility 323, 324, 331–333, 337
    Variability 327, 331, 334, 342, 343, 347, 348
    Variations in corolla length 323
    Variations fruit, flowers, leaves, stem 334
    Vigor in F_1 hybrids 323
  N. rustica scabra×*N. paniculata* 340, 341, 353
    Correlation between physical type and sterility 340, 341
  N. rustica scabra×*N. rustica brasilia* 319
  N. rustica scabra×*N. rustica humilis* 319, 320
  N. rustica texana×*N. rustica brasilia* 319, 321
  N. rustica texana×*N. rustica humilis* 319, 321
Frequency of segregation of parental types 353
Height of crosses 319
Langsdorfii 204, 318
Matroclinous hybrids 318
paniculata 311, 315, 317–319, 324, 331, 340, 343, 349, 350–353, 357, 359, 360, 362, 363
Parental strains and behavior 318
rustica 311, 313, 315, 316, 318, 324, 329, 331, 349, 350–353, 357, 360, 362
  asiatica 312, 313, 340, 346, 347
  brasilia 312–315, 319–322, 329, 332, 340, 342–347, 349, 363
  First cultivated tobacco 312
  Heritable factor differences in varieties 319–321
  humilis 312–314, 319, 321, 323, 340, 342–346, 353, 359, 360, 363
  jamaicensis 312, 313, 303, 346
  Reciprocal hybrids similar to varietal crosses 319
  scabra 312, 314, 319, 320, 322, 329, 335, 340, 341, 353, 363
  scabra-like, segregate 327
  texana 312–314, 318, 321, 329, 334, 340, 343–346, 363
    Origin 321
  Varieties 312, 313
Species crosses 361
  Fertility 349, 354
  Homozygosity 346, 347
  Maternal species produced 318
  Recombination series of gametes 358
  Results 349–365
  Segregation of varieties 327, 331, 334, 340
  Variability decreasing in self-fertilized segregates 348
  Vigor of heterosis 361

Species hybrids 315–318, 322–358
Combination of characters 330
Gametes functional 362
Percentage pollen 336
Pollen sterility 333
One parent duplicated in F_2 325, 327, 328, 331
Segregation of parental types in F_2 325, 329, 334, 340, 353
Uniformity 322
Variability 324, 327, 331–334, 342, 343, 347, 348, 353
Variable 316, 318, 330
sylvestris 355, 356
×*tabacum* 355, 356
tabacum 312, 356, 357
Variety *N. perennis* 318
NILSSON-EHLE, H. 506, *525*
Non-disjunction 397, 570, 571
Factors influencing in Datura 255
In Drosophila 43, **55**, 62
Of sex chromosomes in *Drosophila simulans* 199
NONIDEZ, J. F. 57
NUTTALL, G. H. F. 188, 192, *207*

Oenothera 262, 574
Breeding conducted under conditions of malnutrition 575, 576
brevistylis **574**–578, 580–582, 585
Ratio to *Lamarckiana* compared under normal and malnutrition conditions 578, 579, 582–584
Broad-leaved 582
Experimental conditions of malnutrition 580, 582, 585
Factors affecting proportion 581
gigas 354
Lamarckiana **574**, 576–578, 580–582, 584, 585
Mutant gigas 313
Under conditions of malnutrition 586
lata 354, 582
Malnutrition 580, 585, 586
Monohybrid ratio 574
nanella 577, 578, 580, 582, 583, 586
brevistylis 577, 580, 586
Narrow-leaved dwarf 582, 583
oblonga 577–579, 582, 583
Percentages of *Lamarckiana* and *brevistylis* to number of seeds sown 584
Pollen, differing genetic types 581
Pollen tube in relation to style 581, 585
pratincola
Aberrant phenomena **1**
Balanced lethal stock of Drosophila 1
Fertility problems 12
Flat-leaved 26–42
Flatness 1, 3, 4, 10, 11, 13, 26–41
Gametes 2, 3, 5, 13
Genetic analysis 2
Germination percentages 11, 12, 42
Germination, selective 12
Heterogametism **1**–42

Hybrid *viscida* 6, 16, 34
Hypothesis of heterogametism 2
Inheritance in crosses 3–9
Inheritance of two types 13
Matroclinic inheritance 7, 10
Matroclinic progeny 2, 3
Mass mutation 2
Mendelian factors 11, 15
Mendelian inheritance 1, 7, 10, 11
Mendelian monohybrid segregation 6
Mendelian segregation 2, 13
Metacliny 2
Mutant *albicans* 15, 31
angustifolia 10, 15
brevistylis 10
dimorpha 15, 30, 32, 33
ericacea 15
fallax 15, 30, 32, 33
formosa 1–6, 10, 11, 13, 14, 15, 31
×*latifolia* 16–25, 33
×*typica* 16–24, 34, 40, 41
gigas 10, 16
graminea 34
grisea 16
grisella 10, 16, 30
latifolia 1, 4, 6, 15
nitidissima 10, 11, 14
numularia 15, *16*
revoluta 16, 31
setacea 16, 31
sub-latifolia 16, 33
typica strain 1–6, 9, 10, 14, 15, 33, 35, 40, 41
Mutation and inhibiting factors 11
Mutation complicating Mendelian Inheritance 1–42
Mutation concealed 13
Mutation induced by crossing 11
Mutation masked by Mendelian factors 10, 11, 14
Parallel with Drosophila 1
Pedigrees of plants crossed **9**
Pollen equivalent in *typica*×*latifolia* 4
Recessive factors 11
Reciprocal crosses 2, 6, 8
Revolute-leaved 7, 10, 11, 26–42
Revoluteness 13, 26–41
Segregation of factors 13
Self-pollination concealing mutations 13
Sterility problems 12
Strain C 3–6, 10, 11, 13–15
Strain C 3–6, 11, 13–15
Types Erought into prominence 12
Ratio *brevistylis* to *Lamarckiana* varies 581
Ratios extreme 585
Results of normal and malnutrition experiments compared 582–584
scintillans 577, 579, 582, 583, 585
Chromosome count 585
Seed production under conditions of malnutrition 575, 578, 579, 582–585
Segregation ratios changed by environment 574

Stumpy seedlings 577, 580, 585
Technique of breeding under conditions of malnutrition 575
Technique of germinating seeds 575
Office of Plant Introduction 311
Origin of domestic races 364, 365
Ottawa Station 401

Papilio memnon, order of dominance 89
Parasitization influence on secondary sexual characters 193
Parent-offspring mating **130**
PARKER, J. H. 401, 414, *416*
Partula, matroclinous inheritance 450
Partula
otaheitana sinistralis 450
otaheitana sinistrorsa 450
Pea
Difference of one factor in green and yellow cotyledon 504
Variety Goldkönig 504
Green pigment fades out in yellow varieties 504
Yellow and green cotyledon varieties have yellow and green pigments 504
PEARL, R. 114, *123*, 126, *143*, 212, *240*, 267, 395, *398*
PEARSON, K. 112, *123*, 452, 465, 471, *484*, *525*
PECKHAM, MISS EDNA M. 275
PECKHAM, MISS IDA M. 275
Pediculoides ventrocosus, New 67
Pedigree, systems of improvement 384
PEREZ, J. 193, *207*
Peromyscus 112, 480
maniculatus 453
Asymmetrical sacrum 453, 483
Inheritance of asymmetry 453, 466–478, 483
Osteological material 464–478
Skeletal asymmetry 483
Subspecfic hybrids, F_2 generation 463
Subspecies 470
Specific crosses 463
Petunioides 355
Phasianus, (see pheasant)
colchicus 381
torquatus 381
Pheasant, (see segregation in species hybrids) 376, 378, 380
Pheasant crosses 371–378, 380, 382
PHILLIPS, J. C. **366**, 370, 371, 379, 380, *383*
Phorid fly 194
Physa heterostropha 457
Pigeon, male crossing over 417
PIPER, C. V. 487, 510, 517, *525*
Pisum sativum 504
Plantago major 506
Platychirus 192
PLOUGH, H. H. 54, *63*, 420, *428*
Poeciliidae 554
Polarity, non-Mendelian origin **460**
POLL, H. 380, *383*
Pollen differing genetic types in Oenothera 581
Pollen
Grains, diameter 411
Grains, size and variability 399, 410, 412, 414–416
Sterility in Datura **256**–261, 263
Tube in relation to style in Oenothera 581, 585
Tubes of mutant grains in Datura retarded 262
Polyphyletic origin of domestic races 364–365
Prepotency due to homozygosis in dominant factors 129, 171
Effect of inbreeding 177
Prepotency affected by linkage 171
Primula
Crossing over both in micro- and megasporangium 418
linkage 419, 426
sinensis 215, 237
PRIZBRAM, H. 451, 457, 458, *484*
Probable error meaning 390
Pubescence color inheritance in soy-beans **487**, 516
Puccinia triticina Eriks 400
PUNNETT, R. C. *428*, 463, *484*, 513, *524*
Pure lines, rating 384, **391**

Rabbits, intense Hymalayan and albino, allelomorphs 203
Ratios in Bruchus 71, 83
Ratios in plastid color inheritance in maize 92
Ratios, sex in Drosophila 197
Ratios, sex-limited 85
Rats (mus)
Agouti and black allelomorphic 202
Allelomorphs, intense, dilute and albino 203
Pinkeye 203
Recessive producing dominant 11
Reciprocal hybrids similar in pheasant species crosses 371
Regression 384, **387**
Filial, mathematical nature 384
Great among children of shorter parents 390
Little in children of tall parents 390
Relatives, correlations between **120**
REMICK, B. L. 112, 114, 144, *161*, 162, *166*
Repulsion 418
Reversion to wild type in species crosses of Drosophila when mutations are used 46
RICHARDS, M. H. 108, *207*
RICHTER 447
RIDGEWAY, ROBERT 69, 90
ROBBINS, R. B. 112–114, *123*

SAGERET 315
SAUNDERS, E. R. *428*
SAX, K. 399, 403, *416*
SCHMIDT 573
SCHNABL, J. 193, *207*
SCHOFIELD, R. 448, *485*
SCHULZ 399, 413
Seed-coat inheritance in soy-bean **487**
Seed formation favored by shorter day 433
Seed production under conditions of malnutrition 575, 578, 579, 582–585

Seedling, maize coloration 91–110
Segregates F_2 in Anas species hybrids 371
Segregation in pheasant back-crosses 373–376
Segregation in species hybrids **366**
  Backcrosses pheasant species hybrids 372
  Segregation 373–376
  Character complexes in species crosses 382
  Characters disassociated in hybrids 382
  Color factors and factors underlying fertility independent 383
  Cytological problem in sterile and unlike reciprocal hybrids in pheasants 383
  Ducks fertile in wide crosses 383
  Genes for secondary sex color-patterns on separate chromosomes 382
  Linkage of character-complexes 376, 382
  Male secondary sex character absent in Anas hybrids 367, 368
  Mallards, East India melanistic 381
  Mendelian ratio between normals and East Indias 381
  Mendelism more nearly approached in closely related forms than widely separated species 380
  Plumage characters closely related 382
  Segregation in F_2 Amherst and Golden Pheasant 372–376
  Sex of hybrids 376
  Sex-intergrades in F_2 segregated in Anas species hybrids 367
  Sex-linkage none in pheasant species hybrids 372, 382
  Species combinations in birds 382
  Sterility partial in extreme matings 381
  Variability in F_1 367
  Variability in F_2 367–370
Segregation irregularities caused by malnutrition **574**
Segregation ratios changed by environment 574, 581
Selection
  Difference of bases illustrated by dice-casting 384, 392, 393
  Difference in direction mere chance 392, 393
  Effects of **162**–166
  Environmental influence on **165**–166
  Practical corollaries 394
  Somatic basis 384, **394**–396
  Within pure lines 384, **392**–394
  Of soy-beans 488
Self-fertility in wheat 402
Self-pollination concealing mutations 13, 14
Selfing under conditions of malnutrition 576
Sesqui-hybrids, development of parental types in Nicotiana 356, 360
SETCHELL, W. A. 312, 315, *365*
Sex chromosomes in Drosophila 43
Sex intergrades in F_2 segregates in Anas species hybrids 367
Sex-limited
  Colors in Bruchus 83, 88
  Factors follow Mendelian scheme 89
  Inheritance in Ayrshire cattle 89
  Inheritance in Bruchus **65**
  Ratios in Bruchus 85
Sex-linkage none in pheasant species hybrids 372, 382
Sex-linked
  Group of genes in *Drosophila simulans* **43**–65
  Inheritance 89
    In fish 554
  Mutations in Drosophila **43**, **46**–48, 62, 63
  Ratios in fishes 558, 559, 561–563, 568, 569, 571
Sex of hybrids in pheasant 376
Sex ratios in Drosophila 197
Sexual characters secondary and influence of parasitization 193
Sexual dimorphism in Bruchus 88, 90
Sexually dimorphic mutants in
  Bruchus 88, 89
  Drosophila 88, 89
SHULL, G. H. 506, *525*, 573
Silkworm moth 417
SMITH, G. 380, *383*
Soja max (see soy-beans)
SOLLAS, J. B. L. 452, 485
Somatic modifications non-hereditary 455
Somatic modifications origin 455
Somatic segregation 456
Soy-beans
  Auburn variety 488, 506–509, 523
  Biometrical constants 489
  Characters inherited independently 522
  Chimera due to somatic mutation 503
  Color characters 487
  Complementary factors 524
  Cotyledon color **487**, 504, 509, 511, 543, 544
  Cotyledon and seed-coat colors inheritance 510, 511, 513
  Cross pollination and unexpected beans 507
  Crosses 488
  Crossover percentage 515
  Duplicate factors 505–506
  Factor symbols 489, 490, 505
  Genetical formulae 489, 490, 505
  Green and yellow seed coats an allelomorphic pair 509
  Hilum color extension **515**, 518, 548, 549
  Hybrid plants 489
  Independent inheritance **509**, 552, 553
  Linkage 509, 510, 513, **518**, **522**, 547
  Maternal inheritance of cotyledon color 509
  Pigments, green and yellow 504
  Progenies three types in F_3 523
  Pubescence color 516–518, 549
  Ratios
    Aberrant F_2 490, 492, 523
    Modified dihybrid 518
    15:1 493–498, 505, 523, 545
    9:7 suggests two complementary factors 516
    62:1 507
    3:1 494–498, 505, 518, 523
  Reciprocal varietal crosses 490
  Seed-coat colors **487**, 510, 524, 545, 546
  Seed mixture 502

Seed with green cotyledons bred true **492**, 523
Selection within pure lines 488
Self-fertilized 488, 489
Symbols for factors 524
Unexpected beans 500–503, 507, 523
Varieties 488
Spawning in *Aplocheilus latipes* 555
Species crosses reciprocals identical in Nicotiana 350
Species combinations in birds 382
Species crosses
Chromosome combinations in 359
Drosophila 180, 182, 197
Nicotiana 204
Wheat fertility 400, 404, 413
Wheat reciprocals 405, 406
Wheat sterility **399**, 404, 407, 412, 413, 415
Species hybrids 315–318, 366
In birds **366**, 367, 380–382
In Drosophila 43, 47, 48, 197, 200, 204, 205
Mendelian phenomenon 366
Segregation in Nicotiana 325, 340, 353
Species, related have genes in common 201–206
Sperm nucleus influence in ontogeny through cytoplasm 461, 462, 483
Spermophagus 68
SPILLMAN 401
Spilomyia 202
SPRUNT, A. D. 203, *206*
Station for Experimental Evolution 275
STEIN, P. 193, 194, *207*
Sterile crosses in wheat produce small wrinkled F_1 grains 413, 415
Sterile hybrids 407, 408
Sterile plants in wheat exceed parents in vigor 407, 415
Sterile hybrids of plants and animals 410
Sterile monstrosities 382
Sterility **311**
Backcrosses 324, 359, 363
Chromosome changes in evolutionary divergence of species 360
Chromosome combinations in species crosses 359
Chromosome numbers 360
Chromosome recombination affecting sterility 361
Chromosomes identical in *Nicotiana rustica* and *N. paniculata* 360
Correlations between fertility and plant characters 353
Female gametes less susceptible to unfavorable environment than pollen 351
Gamete formation 351, 359, 362, 363
Gametes proportion functional 359
Heterosis 361, 363
Homozygosity in segregates 346, 347, 353
Hybrid plants intermediate 316
Hybrids 316, 318, 324, 355
In wheat, cytological basis 399
In wheat hybrids **399**, 401, 406, **408**, 409
In wheat-rye hybrids 401
Indication of hybridity 262
Lethal factor 341
Mendelian reaction system 357, 359
Methods of determining 335, 337
None in pintail and mallard duck crosses 382
Of pollen in Datura **256**–261, 263
Parental types developed in sesqui-hybrids 356
Partial in extreme matings 381
Pheasant 376, 378
Pollen abortion affected by environment 349
Pollen examination method of determining sterility 337
Reciprocal hybrids similar to varietal crosses of *Nicotiana rustica* 319
Relationships and endosperm development **399**, 412, 415
Technique of determining sterility in tobacco 335, 337
Stratiomyidae 194
STROBELL, E. C. 88, *90*
STROBL 193
Studies on *Drosophila simulans* **43**–65, **179**–207
STURTEVANT, A. H. **43**, 54, 58, *63*, 87, 89, *90*, **179**, 184, 187, 191, 202, 204, *207*, 420, *428*
SUMNER, F. B. 111, *123*, 463, 480, 481, *485*
SURFACE 267
Symmetry, non-Mendelian origin 460
Symmetry of egg bilateral 461
Synarthus cinereiventris 194
Syrphid flies 202
Syrphidae 192–194
Syrphus lunulatus 192
Systems of mating **111**

Tanaka, Y. 417, *428*
Technique
Of breeding fishes 555
Of breeding under conditions of malnutrition 575
Of determining sterility in Nicotiana 335, 337
Of germinating Oenothera seeds 575
Temnostoma 202
TERAO, H. 487, 489, 509, 510, *525*
Termitoxenia 194
Thelia 193
Tobacco **433**
Connecticut Cuban strain of non-flowering tobacco 433, 437
Leaf number 437
Factor, indeterminate growth **433**
Growth determinate and indeterminate in segregating progenies 435
Growth normal habit dominant in combinations with mutant 434
Hybrid vigor parents differing in single gene 441–444
Indeterminate growth type 433, 437–440
Indeterminate mutation a single-factor change 440
Leaf variations correlated with indeterminate growth 434
Mutation in Connecticut Cuban tobacco 433, 434, 440

Reciprocal crosses show significant difference 443
Seed formation favored by shortened day 433
Variation in tobacco 444
Variation in agricultural varieties 433
TOYOMA, K. 564, 565, *572*
Triple allelomorph system in Bruchus 65
Triticum (see wheat)
Emmer group 400, 402, 406, 410, 412, 414, 415
Triticum dicoccoides 400
Triticum dicoccum 400, 401, 406, 413–415
Triticum durum 400–402, 413, 415
Triticum polonicum 400, 402, 413–415
Triticum turgidum 400–402, 413– 415
Einkorn group 400, 402, 407, 412, 414, 415
Triticum aegilopoides 400
Triticum monococcum 400, 402, 414, 415
Vulgare group 400, 405, 410, 412, 414, 415
Triticum capitatum 400, 401
Triticum compactum 400–402, 407, 413–415
Triticum spelta 400, 406, 414, 415
Triticum vulgare 400–402, 406, 407, 413–415
TSCHERMAK, E. VON 399–401, 413, *416*
Tubificidae 555
Twins, resemblance in regular print pattern 451

U. S. Department of Agriculture 311, 401, 488

Variability, extraordinary 200
Variability in species hybrids in ducks 367–370
Variability in species hybrids due to modifiers 200, 204, 205
Variations correlated with indeterminate growth 434
Variations of acquired asymmetrical variation 447, 448
Varietal crosses in *Nicotiana rustica* 319–321
Varietal differences 111
Varieties of *Aplocheilus latipes* 555
Varieties of wheat 401, 402, 404, 409, 412, 414
VAVILOV, N. J. 413, 416
Vigor
Correlation with homozygosis 171
Less in tri-somic plants in Daturas 262
In species hybrids of Nicotiana 323
VILLENEUVE, J. 192–194, *207*
VRIES, HUGO DE 12, *15*, 313, 574, 575, 585, *586*
Mutation hypothesis 1
Oenothera mutation 10
Chromosome of abraxas contains no genes 570

WADE, OTIS 68, *90*
WAHLBERG 194, *207*
WARNER, D. E. 265, 268, *309*
WARREN, P. A. 263
Washington Agricultural Experiment Station 401
WASMANN, E. 194, *207*
Weevil, common bean 66
Weevil, four spotted cowpea, see Bruchus 65, 66
WEISMANN, A. 447, 448, 458, *485*
WELCH, D. S. 263
WELDON, W. F. R. *398*
WENTWORTH, E. N. 89, 112, 114, *123*, 144, *161*, 162, *166*
Wheat
Crosses between Emmer and vulgare group produced sterile F_1 410
Embryo sac 403
Endosperm behavior in crosses 402
Endosperm development 403, 406, 412, 415
Fertility in species crosses 400, 404, 407, 413
Grain, size and shape dependent on female parent 403
Grains of parents and hybrids compared 405
Hybrid vigor 406, 412, 413
In both F_1 endosperm and F_1 plant 413
Hybrids exceeding parents in vegetative vigor 408
Maternal chromosomes 413
Pollen grains 411–416
Pollen sterility in hybrids 408, 409
Resistance to rust fungi 400
Self-fertility in species 402
Species of crosses 399, 400, 401, 404, 412, 415
Species limits 414
Sterile crosses 413, 415
Sterile plants, vigor of 407, 415
Sterility 401, 404, 406, 408, 412, 413, 415
Variability 401
Varieties 401, 402, 404, 409, 412
Wheat-rye hybrids sterility 401
WHITE, O. E. 504, *525*
WHITING, P. W. 203, *207*
WIEGMANN 316, 318
WILDER, H. H. 451, *485*
WISCONSIN UNIVERSITY 488
WOODWORTH, C. M. 252, 487
WRIGHT, SEWALL 111, 114, 122, *123*, 124, *143*, 144, *161*, 162, *166*, 167, *178*, 203, 204, *207*, 452, *485*

X and Y chromosomes crossing over between 570–572
X chromosome and relation to survival in Drosophila species hybrids 198
X chromosome *Drosophila funebris* 64
X chromosome in *Drosophila simulans* 43, 49–52, 54
Xanthophyll 91, 93, 109

Y chromosome bearing gene in fishes 566, 569–570, 572, 573
Y chromosome of Drosophila 570, 573
Yellow mice 202
YERKES, R. M. 451, *485*

Zade 400, *416*
Zea mays (see maize)
Zygotic chemical reaction 397